

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended): A method comprising:
partitioning a database corresponding to object images into a first partition and a second partition based on a fuzzy similarity analysis of a measure of the object images to a first threshold;
partitioning each of the first partition and the second partition into at least two portions so that the measure of the object images having a fuzzy similarity more than or equal to a second threshold cluster into a selected one of the at least two portions;
determining a feature set from image content of a query object image;
after partitioning the first partition into the at least two portions, using fuzzy logic to search the database for at least one image similar to the query object image; and
outputting the at least one image similar to the query object image.
2. (Canceled)
3. (Currently Amended): The method of claim 1 further comprising:
deriving [[a]] the feature set for each of the object images from contours of at least two views of objects corresponding to each of the object images.
4. (Canceled)
5. (Canceled)
6. (Currently Amended): The method of claim [[5]] 1, wherein using the fuzzy logic comprises comparing one object image from each of said first and second partitions with said query object image.

7. (Original): The method of claim 6, further comprising:
based on the comparison, obtaining the at least one similar image as a match in the
partition that indicates maximum similarity with said query object image.
8. (Original): The method of claim 1, further comprising:
forming a similarity matrix for the object images within the database before partitioning
the database.
9. (Currently Amended): A method comprising:
partitioning a database corresponding to object images into a plurality of sets based on
fuzzy logic;
obtaining a query image;
after partitioning the database into the plurality of sets, searching the database for a
solution set having a maximum similarity to the query image using the fuzzy logic; and
outputting at least a portion of the solution set.
10. (Previously Presented): The method of claim 9, wherein searching the database
comprises comparing a single image of each of the plurality of sets within the database to the
query image.
11. (Original): The method of claim 10, wherein comparing the single image
comprises comparing a feature vector of the query image to a corresponding feature vector of the
single image.
12. (Canceled)
13. (Previously Presented): The method of claim 9, further comprising partitioning
the database into a plurality of levels, each of the levels corresponding to a similarity threshold.

14. (Previously Presented): The method of claim 9, wherein outputting a portion of the solution set comprises displaying at least one object image corresponding to the portion of the solution set.

15. (Currently Amended): An article comprising a machine-readable storage medium containing instructions that when executed enable a system to:
partition a database corresponding to object images into a plurality of sets based on fuzzy logic;
obtain a query image;
after the database is partitioned, search the database for a solution set having a maximum similarity to the query image using the fuzzy logic; and
~~outputting~~ output at least a portion of the solution set.

16. (Previously Presented): The article of claim 15, further comprising instructions that when executed enable the system to compare a single image of each of the plurality of sets within the database to the query image.

17. (Canceled)

18. (Previously Presented): The article of claim 16, further comprising instructions that when executed enable the system to compare a feature vector of the query image to a corresponding feature vector of the single image.

19. (Currently Amended): A system comprising:
a dynamic random access memory containing instructions that ~~[[if]]~~ when executed enable the system to partition a database corresponding to object images into a first partition and a second partition based on a fuzzy similarity analysis of a measure of the object images to a first threshold; to thereafter use fuzzy logic to search the database for at least one image similar to a query object image; and to output the at least one image similar to the query object image; and
a processor coupled to the dynamic random access memory to execute the instructions.

20. (Currently Amended): The system of claim 19, further comprising instructions that ~~[[if]]~~ when executed enable the system to derive a feature set for each of the object images from contours of at least two views of objects corresponding to each of the object images.

21. (Canceled)

22. (Currently Amended): The system of claim ~~[[21]]~~ 19, further comprising instructions that ~~[[if]]~~ when executed enable the system to obtain the at least one similar image as a match in the partition that indicates maximum similarity with said query object image.

23. (Original): The system of claim 22, further comprising a display coupled to the processor to display the query object image and the at least one similar image.